



ORBITAL SANDERS, TIP SANDER & WET SANDERS

APPLICATIONS

Widely used at various industries of car body repairing, wooden working, metal working, FRP working, etc. High efficiency by strong motor, low vibration and low gravity center. Less fatigue by well-balanced ergonomical design.

● **AK-62** Orbital Sander



● **AK-62D** Dust Free Orbital Sander



● **AK-64** Orbital Sander



● **AK-64D** Dust Free Orbital Sander



● **AK-62W** Wet Orbital Sander



● **AK-55P** Wax Polisher



● **AK-64W** Wet Orbital Sander



● **AK-62P** Glass Polisher



● **AK-71** Tip Sander



● **AK-625** Orbital Sander



Model	Pad Size (mm)	Speed (no load) rpm	Orbit Dia. (mm)	Air Cons. (L/min)	Pad Screw Size (mm)	Air Inlet (inch PT)	Net Weight (kg)	Length (mm)	Noise Level (dBA)
AK-62	71x106	8,500	3	340	-	1/4PT	0.74	165	78
AK-64	71x145	8,500	3	340	-	1/4PT	0.76	185	78
AK-62W	71x106	8,500	3	340	-	1/4PT	0.78	165	78
AK-64W	71x145	8,500	3	340	-	1/4PT	0.8	185	78
AK-71	40x86	10,000	3	280	-	1/4PT	0.71	245	83
AK-62D	71x106	8,500	3	340	-	1/4PT	0.8	215	78
AK-64D	71x145	8,500	3	340	-	1/4PT	0.82	265	78
AK-55P	123	8,500	5	340	5/16-24UNF	1/4PT	0.92	172	78
AK-62P	71x106	8,500	3	340	-	1/4PT	0.74	165	78
AK-625	123	8,500	3	340	-	1/4PT	0.74	172	78